



Size	90	125	160	200
<b>Arnold Mat Pneumo-Hydraulic</b>	<b>020 600 090</b>	<b>020 600 125</b>	<b>020 600 160</b>	<b>020 600 200</b>
Clamping force (kN)	25	40	50	50
A	300	410	570	570
B	446	552	719	719
C - 0,02	75	100	110	110
D	115	140	160	173
E	91	126	161	201
F	21	21	21	21
G H7	20	24	24	24
H	70	100	115	119
I	67	124	128	132
J + 0,02	40	90	115	111
K	110	190	230	230
L	40	50	60	60
M H7	20	20	20	20
N	40	40	50	63
U	38	54	68	68
V	11	13	13	13
W	90	125	140	140
X	150	195	300	300
Weight (kg)	16	35	70	93
<b>Clampings</b>	<b>90</b>	<b>125</b>	<b>160</b>	<b>200</b>
Clamping field O1	0 - 132	0 - 181	0 - 300	0 - 287
Clamping field O2	76 - 208	85 - 266	106 - 406	114 - 401
Clamping field O3		155 - 336	174 - 474	182 - 469
<b>Spare spindle</b>	<b>90</b>	<b>125</b>	<b>160</b>	<b>200</b>
Arnold Mat Pneumo-Hydraulic	816 000 090	816 000 125	816 000 160	816 000 200

### Clamping possibilities



Clamping field O1



Clamping field O2



Clamping field O3

### Zero point system preinstallation

This vice includes preinstallation for **O-MAK** zero point system.

